

DIGITAL MICROSCOPE

DM200



DM200



Stand(optional, code: MS36)

- Magnification: 10X-200X
- Pixel: 2M
- Interface: USB2.0
- Snap pictures and record videos
- 8 pcs adjustable LED lights
- With measuring software and calibration rule

Magnification, View Filed and Focus Relationship

Magnification	Focus	View Filed
50X	21mm	9.5x7.1mm
100X	13mm	4.8x3.6mm
150X	16mm	3.2x2.4mm
200X	19mm	2.4x1.8mm

DIGITAL HIGH MAGNIFICATION MICROSCOPE

DM600



DM600



Stand(optional, code: MS36)

- Magnification: 450X-600X
- Pixel: 2M
- Interface: USB2.0
- Snap pictures and record videos
- 8 pcs adjustable LED lights
- With measuring software and calibration rule

Magnification, View Filed and Focus Relationship

Magnification	Focus	View Filed
450X	1.4mm	1.05x0.79mm
500X	5.5mm	0.95x0.71mm
550X	8.6mm	0.86x0.64mm
600X	11.5mm	0.79x0.59mm



SERIES ZS1045

ZOOM STEREO MICROSCOPE



ZS1045

SPECIFICATION

Code	ZS1045	ZS1045T
Optical	binocular	trinocular
Magnification	10X ~ 45X	
Eyepiece	10X (view field: Ø20mm)	
Objective	1X ~ 4.5X (zoom)	
Pupil distance	55 ~ 75mm	
Diopter adjustment	±5 diopter	
Working distance	97mm	
Illumination	selectable incident and transmitted LED light	
Dimension(L×W×H)	310×250×420mm	
Weight	6kg	

INCLUDED ACCESSORIES

Main unit	1pc
10X eyepiece	1pair
Eyepiece patch	1pair
Ø95mm frosted glass plate	1pc
Ø42mm frosted glass plate	1pc
Ø95mm black/white plastic plate	1pc
Dustproof cover	1pc

OPTIONAL ACCESSORIES

0.5X Eyepiece	ZS1045-05-O
0.75X Eyepiece	ZS1045-75-O
2X Eyepiece	ZS1045-02-O
10X Eyepiece with scale	ZS1045-10-FE
WF15X Eyepiece	ZS1045-15-E
WF20X Eyepiece	ZS1045-20-E
Camera	1300KPA

STEREO MICROSCOPE

SM20/30/40



SM40

SPECIFICATION

Code	SM20	SM30	SM40
Total modification	10X/20X	10X/30X	20X/40X
Objective modification	1X/2X	1X/3X	2X/4X
Eyepiece	10X (view field : Ø20mm)		
Pupil distance	55 ~ 75mm		
Diopter adjustment	±5 diopter (only one eyepiece can be adjusted)		
Working distance	57mm		
Max. workpiece height	68mm		
Illumination	selectable incident and transmitted light		
Dimension(L×W×H)	120×200×300mm		
Weight	3kg		

INCLUDED ACCESSORIES

Main unit	1pc
10X eyepiece	1pc
Eyepiece patch	1pc
Ø95mm frosted glass plate	1pc
Ø95mm black/white plastic plate	1pc
Dustproof cover	1pc

OPTIONAL ACCESSORIES

5X eyepiece (view field: Ø20mm)	SM-05-E
15X eyepiece (view field: Ø15mm)	SM-15-E
20X eyepiece (view field: Ø10mm)	SM-20-E
Camera	1300KPA



1300KPA

CAMERA

- ◆ Easy to connect computer by USB
- ◆ Supplied with measuring software



Connect with microscope



Connect with Vickers hardness tester

SPECIFICATION

Code	1300KPA
Camera sensor	1/3" CMOS
Pixel	1.3 Mega
Interface	USB
Dimension (L×W×H)	65 × 48 × 43(mm)
Weight	400g

INCLUDED ACCESSORIES

Main unit	1pc
USB cable	1pc
Software	1pc

OPTIONAL ACCESSORIES

C-mount	1300KPA-CM
Calibration rule (graduation: 0.1mm)	RU01
Ø30mm eyepiece adaptor	AD30
Ø30.5mm eyepiece adaptor	AD305

